



Anodizing/Chromate Drop Off Sheet

* indicates required field

This form must be completed for each part requiring different processing

| | | | |
|---|---------------------------|--------------------------|--|
| Date* | | | |
| Customer Name* | | | |
| Part Number | | | |
| PO# | | | |
| # of Pieces | | | |
| # of containers | | | |
| Aluminum Alloy*: | | | |
| Etch: | Yes <input type="radio"/> | No <input type="radio"/> | <i>If not completed YES is assumed</i> |
| Teflon Dip: | Yes <input type="radio"/> | No <input type="radio"/> | <i>If not completed NO is assumed</i> |
| Specifications: | | | <i>If not completed NO is assumed</i> |
| Masking/Plugs: | | | <i>If not completed NO is assumed</i> |
| Special Instructions: (i.e. racking details, packing requirements) | | | |

| | |
|---|-----------------------|
| <input type="radio"/> Anodize Type II (Regular)* | |
| Clear | <input type="radio"/> |
| Black | <input type="radio"/> |
| Blue | <input type="radio"/> |
| <i>If color is not specified clear is assumed</i> | |
| Thickness(mils) | |
| <i>If thickness is not specified, target thickness is .4 mils(clear) and .6 mils(dyed).</i> | |
| 1 mil = 1 thousandth = .001 inch | |

| | |
|---|-----------------------|
| <input type="radio"/> Anodize Type III (Hardcoat)* | |
| Clear | <input type="radio"/> |
| Black | <input type="radio"/> |
| Blue | <input type="radio"/> |
| <i>If color is not specified clear is assumed</i> | |
| Thickness(mils) | |
| <i>If thickness is not specified, target thickness is 2 mils with an acceptable range of + or - 20% of specified thickness.</i> | |
| Seal (circle one) | Yes No |
| <i>If seal is not specified, Yes is assumed. Seal is required for Black & Blue</i> | |

| | |
|---|-----------------------|
| <input type="radio"/> Chromate Conversion* | |
| General | <input type="radio"/> |
| MIL-DTL-5541F Type II, Class 3 | <input type="radio"/> |
| MIL-DTL-5541F Type II, Class 1A | <input type="radio"/> |